



TEST REPORT

LAB NO. : (9323)320-0629
DATE : Dec 22, 2023
PAGE : 1 OF 5

APPLICANT : **YONGKANG BEIV HOUSEWARES CO.,LTD**
ECONOMIC DEVELOPMENT ZONE, YONGKANG, JINHUA,
ZHEJIANG, CHINA

CONTACT PERSON : /

DATE OF SUBMISSION : Nov 16, 2023

TEST PERIOD : Nov 16, 2023 to Nov 23, 2023

SAMPLE DESCRIPTION : **STAINLESS STEEL WATER BOTTLE/TUMBLER**
Product End Use: STAINLESS STEEL WATER
BOTTLE/TUMBLER

Color: /

Style no. / Model no.: /

P.O. No.: /

Country of Origin: /

Country of Destination: /

BUYER : /

MANUFACTURER : /

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
Bisphenol A (BPA) Content	PASS	

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

ITEM	ITEM DESCRIPTION
1	Black plastic (cover)(PP)

RW

Bureau Veritas Consumer Products Services
(Guangzhou) Co., Ltd
No. 183, Shinan Road, Meilin Plaza, Dongchong,
Nansha, Guangzhou, Guangdong Province, China
511453
Tel: (86) 20 2290 2088 Fax: (86) 20 3490 9303
Email: BVPCS_pyinfo@bureauveritas.com
Website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

The content of this PDF file is in accordance with the original issued reports for reference only.
This Test Report cannot be reproduced, except in full, without prior written permission of the company.



LAB NO. : (9323)320-0629
DATE : Dec 22, 2023
PAGE : 2 OF 5

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GUANGZHOU) CO., LTD

KENNY WANG
OPERATION MANAGER

REMARK


If there are questions or concerns on this report, please contact the following persons:

- | | |
|---------------------|---------------------------------|
| a) GENERAL TEL: | (86)755 83437287 |
| FAX: | (86)755 83439100 |
| b) BUSINESS SZ TEL: | (86)755 21534695 |
| FAX: | (86)755 83439100 |
| BUSINESS GZ TEL: | (86) 20 87148525 |
| FAX: | (86) 20 87148528 |
| EMAIL: | eechemical.sc@bureauveritas.com |
| WEBSITE | cps.bureauveritas.cn |



LAB NO. : (9323)320-0629
DATE : Dec 22, 2023
PAGE : 3 OF 5

Photo of the Submitted Sample



Report Number
(9323)320-0629




Report Number
(9323)320-0629



Report Number
(9323)320-0629



Report Number
(9323)320-0629




Report Number
(9323)320-0629



LAB NO. : (9323)320-0629
DATE : Dec 22, 2023
PAGE : 4 OF 5

Photograph of test item(s)





LAB NO. : (9323)320-0629
DATE : Dec 22, 2023
PAGE : 5 OF 5

TEST RESULT

*Bisphenol A (BPA) Content

Method:	Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer Mass Spectrometer.
----------------	--

Limit :	Not to be used (Less than 0.1 mg/kg)
----------------	---

Test Item(s)	Result	Unit	Conclusion
1	ND	mg/kg	PASS

Note / Key :

ND = Not detected

">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

No. = Number

Detection Limit (mg/kg) : 0.1

"*"The above results were transferred from (9323)345-1600 dated on Dec 22, 2023

END